ANALIZA BIAŁEK

Scan for verify

100019420

Laboratory of Analysis

Client: BIOPEPTECH
Order number: 100019420
Name: BIOPEPTECH SURGE CJC-1295 WO/DAC + IPAMORELIN
Number of samples: 1 vial

Batch number: CP072026-01
Receive date: 2026-10-19
Start date: 2026-10-21
End date: 2026-11-04

Sample identification

Substance	Method of taking a sample	Form
CJC-1295 with DAC, Ipamorelin	Sample provided by customer	White powder in a glass vial

Results

Substance	Sample name	Content	Purity
CJC-1295 with DAC	BIOPEPTECH SURGE CJC-1295 WO/DAC + IPAMORELIN 10MG	5,32mg	99%
Ipamorelin	BIOPEPTECH SURGE CJC-1295 WO/DAC + IPAMORELIN 10MG	8,84mg	99%
CJC-1295 with DAC Molecular Mass	BIOPEPTECH SURGE CJC-1295 WO/DAC + IPAMORELIN 10MG	3647,10m/z	------
Ipamorelin Molecular Mass	BIOPEPTECH SURGE CJC-1295 WO/DAC + IPAMORELIN 10MG	711,90m/z	------
Endotoxin Level	BIOPEPTECH SURGE CJC-1295 WO/DAC + IPAMORELIN 10MG	6,25EU/vial	------

Research comment

The test sample was applied in the amount of 3µl to the BioBasic 8 Thermo Scientific column. During the course of the analysis with the method a linear gradient in the solutions of H2O and Acetonitrile with the addition of 0.1% trifluoroacetic acid, peaks of the sought substances appeared. Their contents, when compared to the reference chromatograms, are shown in the table above. Height the measurement error is +-0,05mg. The actual state of the sample sent before the test is presented on the photo below.

Photo of the test sample



Password

TVYLX8DP

Analiza Bialek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zając

ANALIZA BIAŁEK

Scan for verify

100019420

Chromatogram



Method

Time	H2O + 0,1% TFA	ACN + 0,1% TFA
0min	95%	5%
2min	95%	5%
12min	5%	95%
15min	5%	95%

Password

TVYLX8DP

Analiza Bialek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zając